

SAFETY DATA SHEET Carboline Carbothane 131 HS COMP. A Beyaz

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Carboline Carbothane 131 HS COMP. A Beyaz

Product number 820CT131HS-A-1010

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Supplier Akis Paint and Chemical Inc.

Ali Osman Sönmez Cad. No:4 DOSAB-BURSA/TURKEY T: +902242610537

F:+902242610542 www.akisboya.com

Contact person Tolga Dıraz - Teknik Müdür,Resmiye Kovancı Savaş - Fabrika Müdürü,H.Tuğba Başkurt

Fildişi - Kalite Güvence Sorumlusu

1.4. Emergency telephone number

Emergency telephone Company Tel: +90 224 261 05 37 (office hours)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Physical hazards Flam. Liq. 3 - H226

Health hazards Skin Irrit. 2 - H315 Muta. 1B - H340 Carc. 1B - H350 STOT RE 2 - H373

Environmental hazards Not Classified

2.2. Label elements

Pictogram







Signal word

Danger

Hazard statements H226 Flammable liquid and vapour.

H315 Causes skin irritation. H340 May cause genetic defects.

H350 May cause cancer.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P260 Do not breathe vapour/spray.

P264 Wash contaminated skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P321 Specific treatment (see medical advice on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with national regulations.

Contains

Quartz, Solvent naphtha (petroleum), light arom.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

xylene		10-20%
CAS number: 1330-20-7	EC number: 215-535-7	

Classification

Flam. Liq. 3 - H226 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315

Quartz	5-10%
CAS number: 14808-60-7	

Classification Classification (67/548/EEC or 1999/45/EC) STOT RE 1 - H372 T; R48/25

Pyrogenic micro-dispersed silica, synthetic X-ray amorphous

1-5%

silicon dioxide (SiO2)

CAS number: 112945-52-5

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 Xn; R22. Xi; R36/37/38

Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 STOT SE 3 - H335

Solvent naphtha (petroleum), light arom.

<1%

CAS number: 64742-95-6 EC number: 265-199-0

Classification

Flam. Liq. 3 - H226 Muta. 1B - H340 Carc. 1B - H350 Asp. Tox. 1 - H304

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. When breathing is difficult, properly trained personnel may assist affected person

by administering oxygen. Get medical attention if symptoms are severe or persist.

Ingestion Do not induce vomiting. Never give anything by mouth to an unconscious person. Get medical

attention immediately. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water. Get medical

attention if irritation persists after washing.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes and get medical attention.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information Treat symptomatically.

Inhalation The product contains organic solvents. Gas or vapour is toxic or extremely irritating, even on

brief exposure. May cause eye and respiratory system irritation.

Ingestion Toxic: danger of very serious irreversible effects if swallowed.

Skin contact Harmful: possible risk of irreversible effects in contact with skin. May be absorbed through the

skin. The liquid may be irritating to eyes, respiratory system and skin.

Eye contact May cause chemical eye burns. Vapour, spray or dust may cause chronic eye irritation or eye

damage.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

Specific treatmentsNo specific chemical antidote is known to be required after exposure to this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media

suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember.

Harmful gases or vapours.

Hazardous combustion

products

Harmful gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

In case of fire: Evacuate area. No action shall be taken without appropriate training or involving any personal risk. Use water spray to reduce vapours. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Fight fire from safe distance or protected location. In case of fire and/or explosion do not breathe fumes. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Do not enter storage areas or confined spaces unless adequately ventilated. Move containers from fire area if it can be done without risk.

Special protective equipment

for firefighters

Use air-supplied respirator, gloves and protective goggles.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No smoking, sparks, flames or other sources of ignition near spillage. Wear protective clothing

as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid

inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled

discharges into watercourses must be reported immediately to the Environmental Agency or

other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Large Spillages: Stop leak if safe to do so. Collect spillage for reclamation or absorb in

vermiculite, dry sand or similar material. Flush contaminated area with plenty of water. Small Spillages: Use appropriate protective equipment. Absorb material with a suitable material

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

For professional users only. Read label before use. Obtain special instructions before use. Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Provide adequate ventilation. Keep container tightly sealed when not in use. Protect from freezing and direct sunlight. During application and drying, solvent vapours will be emitted.

Advice on general occupational hygiene

Do not smoke in work area. Do not eat, drink or smoke when using this product. Eye wash facilities and emergency shower must be available when handling this product.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away

from food, drink and animal feeding stuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Avoid contact with oxidising agents.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

xylene

Long-term exposure limit (8-hour TWA): WEL 50 ppm 220 mg/m³ Short-term exposure limit (15-minute): WEL 100 ppm 441 mg/m³ Sk

WEL = Workplace Exposure Limit Sk = Can be absorbed through the skin.

8.2. Exposure controls

Protective equipment









Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

Contact lenses should not be worn when working with this chemical. Wear tight-fitting, chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

Other skin and body protection

Avoid contact with skin.

Hygiene measures

Good personal hygiene procedures should be implemented. Wash contaminated skin thoroughly after handling.

Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.

Thermal hazards

If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.

Environmental exposure

Emissions from ventilation or work process equipment should be checked to ensure they

controls comply with the requirements of environmental protection legislation.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Homogeneous

Colour Beyaz

Flash point >23°C; <60°C

Relative density 1,426-1,474 gr/cm3 (20°C)

Viscosity 85-95 KU (25°C)

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

None known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid exposing aerosol containers to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

Carbon dioxide (CO2). Carbon monoxide (CO).

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects This product is toxic.

Acute toxicity - oral

ATE oral (mg/kg) 1,249,063.0

Acute toxicity - dermal

ATE dermal (mg/kg) 1,099,518.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 10,995.0

Skin corrosion/irritation

Skin corrosion/irritation Irritating to skin.

Animal data No specific test data are available.

Serious eye damage/irritation

Serious eye damage/irritation No information available.

Respiratory sensitisation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Toxicological studies are not yet available.

Germ cell mutagenicity

Genotoxicity - in vitroMay induce heritable mutations in the germ cells of humans.

Carcinogenicity

Carcinogenicity Known carcinogen based on animal evidence.

Reproductive toxicity

Reproductive toxicity - fertility No information available.

Specific target organ toxicity - single exposure

STOT - single exposure No information available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure may be toxic to specific target organs after repeated exposure.

Aspiration hazard

Aspiration hazard Aspiration hazard if swallowed.

General information This product has low toxicity. Extensive use of the product in areas with inadequate ventilation

may result in the accumulation of hazardous vapour concentrations.

Inhalation The product contains organic solvents. May cause drowsiness or dizziness. Overexposure

may depress the central nervous system, causing dizziness and intoxication.

Ingestion May be harmful if swallowed. May cause stomach pain or vomiting.

Skin contact The liquid may be irritating to skin.

Eye contact May irritate eyes.

SECTION 12: Ecological Information

Ecotoxicity Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity No effects known.

12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential Not known.

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Disposal of this product, process solutions, residues and by-products should at all times

comply with the requirements of environmental protection and waste disposal legislation and

any local authority requirements.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and

local regulations. Product residues retained in emptied containers can be hazardous.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1263

UN No. (IMDG) 1263

UN No. (ICAO) 1263

UN No. (ADN) 1263

14.2. UN proper shipping name

Proper shipping name

(ADR/RID)

PAINT

Proper shipping name

(IMDG)

PAINT

Proper shipping name (ICAO) PAINT

Proper shipping name (ADN) PAINT

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group III

IMDG packing group III

ADN packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

EmS F-E, S-E

ADR transport category 3

Emergency Action Code •3Y

Hazard Identification Number

(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

30

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list

of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and

Directive 91/689/EEC on hazardous waste with amendments.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments This is first issue.

Issued by Mr. Tolga DIRAZ - Certified SDS Author - Certificate No: 01.40.08/06.03.2015 /

tdiraz@iyigullu.com.tr / +90 224 261 05 37

Revision 0

Supersedes date 06/02/2016

SDS number 4934

Hazard statements in full

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H340 May cause genetic defects.

H350 May cause cancer.

H372 Causes damage to organs through prolonged or repeated exposure if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.